











For over 30 years, Eurofase has been a premier lighting manufacturer and custom design company. Eurofase specializes in innovative, elegant, and functional lighting fixtures which will accent or define your desired room ambiance. We continually source the world for inspirational trends and manufacturing materials.

This catalog includes the full mirror collection currently offered. For the full line of Eurofase lighting collection please refer to www.eurofase.com.

© EUROFASE INC. 2019

TABLE

of contents















23









25









29











28" x 36" x 2.25"
















































LED mirrors provide full illumination and highlight your entire space with clear and even lighting. Choosing Eurofase LED mirrors is a simple way to add a touch of elegance, sophistication, and boldness.

More than just a bathroom accessory, our mirrors can be placed in various other areas. Try using them to elevate a foyer, bedroom, dressing room, bathroom, or hospitality setting.







SOMETIMES, TO SEE THE LIGHT, YOU ONLY NEED TO SLIGHTLY CHANGE THE PERSPECTIVE



Eurofase LED mirrors make a bold statement while showcasing modern elements, merging form and function in a brilliant way. Undeniably sleek and displaying high-tech flair, our mirrors are equipped with integrated LED technology for seamless illumination and energy efficiency.

Quality LED lights are safer, sturdier and last longer than other lights. Using or switching to LED lighting generates energy savings by reducing the amount of energy needed. LED lights are 300% more efficient than fluorescent bulbs and 1,000% more efficient than incandescent bulbs. They have a long operational life that can last approximately up to 11 years before needing to be replaced.

Generating almost no warmth, LED lights are much cooler to the touch reducing accidental burns and can be left on for hours. LEDs are much more durable withstanding even the roughest conditions. Designed to focus its rays by emitting light in a specific direction, LEDs reduce the need for reflectors and diffusers that can trap light.

With all these benefits, packed into our smart mirrors, it's hard to avoid this clear cut choice. Easily boost comfort and productivity of your space with a Eurofase LED mirror.





Correlated color temperature (CCT) defines the color appearance of a white LED. Color temperature is specified in Kelvin. Depending on its CCT, the light will either be classified as warm, neutral, or cool.

Light your space with carefully crafted mirrors that house an integrated touch screen for correlated color temperature options. With dimmable capabilities, our LED mirrors are soft enough to serve as a night light and bright enough for full daytime illumination.

From a warm white to cool white, you can customize your lighting for specific uses and see things under a new light with just a touch of a finger. The ability to control light color allows for better viewing and clarity as colors appear differently under different lighting conditions.



LIGHT CLASSIFICATION

WARM

NEUTRAL

COOL

AMBIANCE

Areas that need low light intensity for a cozy, calm, inviting and intimate space

Light intensity applications for bright and vibrant mood

Special applications that need high light crisp and invigorating space

EFFECTS ON COLORS

-Enhances reds & oranges

-Blues appear darker

-Orange/yellow tint to whites

and greens

- -Enhances most colors equally
- -Does not favor yellow or blue
- -Neutral appearance

intensity and good color rendition for a

- -Enhances blues
- -Flattens reds
- -Bluish tint to whites and greens





NO SHADOWS

Regular fixtures in bathrooms often create shadows on our face and make it difficult to see yourself fully illuminated. A back-lit mirror will provide full illumination and highlight your entire face with clear and even light. That is why LED back-lit mirrors are a top choice for makeup artists and hairstylists.



STYLE

Choosing a Eurofase LED mirror is a simple way to add a touch of elegance, sophistication, modernity, and minimalistic style to your space. We carry a variety of mirrors to suit every need ranging from cabinets, free-standing, tri-folds and standard mirrors with an array of styles to suit your space.

FEATURES

KEY ASSETS



ROCKER SWITCH

A rocker switch is a spring-loaded electrical on/off switch that rocks back and forth. Our waterproof on/off switch offers 3 states: off, 3000K, and 4000K.



TOUCH SENSOR SWITCH

A touch sensor switch is one of the simplest kinds of tactile sensors, sensitive to touch, force or pressure. An integrated touch switch controls on/off states as well as dimmable.



MIRROR IMAGE

Mirrors form perfect images unless they are imperfectly constructed. At Eurofase we use high quality mirrors made of distortion free glass for clarity.



DURABILITY


Bathrooms typically generate a lot of steam and moisture. This is why it is important to incorporate mirrors that prevent those spotty unattractive edges like our copper free mirrors which counteracts black edge corrosion.



CCT OPTION

Correlated color temperature (CCT) is the term used to reference the color of light. All our mirrors come with CCT or the option to add it and can be accessed with the touch of a finger. Available in 3000K, 4500K, and 6400K.





CUSTOMIZATION

OPTIONAL FEATURES



BLUETOOTH SPEAKER

Create an engaging environment by adding a Bluetooth speaker to your LED mirror. Easily connect a cell phone to answer a call or play music.



DEFOGGER

A demister device removes liquid droplets and leaves a designated area clear with heated pads to dispel fog effortlessly. Getting ready will be a breeze even after a warm shower.



DIGITAL CLOCK

Never be late again! A built-in digital clock eliminates the need for multiple devices. 12 and 24-hour systems are available.



MAGNIFIER

Improve image clarity with a built-in magnifying glass with custom 3x or 5x magnification. LED light shines from a frosted ring for added brilliance.



TELEVISION/MONITOR

Don't skip a beat during your morning routine and watch the news or your shows while you get ready in the bathroom. Upgrade to the Android system for the touch screen and more functions.

Please note that some television options are limited due to technical specifications.



GLASS SHELF (MIRRORED CABINET)

Add a custom glass shelf if more storage space is required. Available in transparent or sandblasted (frosted) glass.











GILDING TECHNIQUE

WHAT IS METAL LEAF

Metal leaf is a thin metal sheet that is used for decoration and is available in gold, copper and silver. It is used on varying sized objects from a small glass to large frames for added luxury.

LUXURY IS AN ART


Gilding (metal leaf application) is a delicate process that requires specialized tools. It requires skill and technique for a flawless finish.

Some tools required for this process are a gilding cushion, a gilding knife, an adhesive and pumice powder. A clean surface, a room without any drafts and lots of patience are also key elements for successful application. Once applied properly and depending on how much handling they get, the gold foil can last for centuries.









33830-018 BLACK EDGE/GOLD FOIL


ROUND EDGE-LIT LED MIRROR

29W Wattage CRI 90+

3000K/4500K/6400K CCT

Initial Lumen 3510lm Switch Type Touch Sensor Dimmable YES

Location Damp



33832-012 SILVER EDGE/SILVER FOIL


ROUND EDGE-LIT LED MIRROR

29W Wattage CRI CCT 90+

3000K/4500K/6400K

Initial Lumen 3510lm Switch Type Dimmable **Touch Sensor** YES

Location Damp





32″

35″



2.25″

33829-012 BLACK EDGE/GOLD FOIL

SQUARE EDGE-LIT LED MIRROR

Wattage 39W CRI 90+

CCT 3000K/4500K/6400K

Initial Lumen 4570lm Switch Type Touch Sensor Dimmable YES

Location Damp

32"



2.25″

33831-015 SILVER EDGE/SILVER FOIL

SQUARE EDGE-LIT LED MIRROR

Wattage 39W CRI 90+

CCT 3000K/4500K/6400K


Initial Lumen 4570lm Switch Type Touch Sensor Dimmable YES Location Damp

32"














CRYSTAL INLAY

Is the process of setting crystal pieces into a cavity that has been hollowed out of the surface. It is then glued, filled, and sanded flush. The possibilities are endless and the techniques vary.




33823-010

OVAL BACK-LIT LED MIRROR

Wattage 55W CRI 90+

CCT 3000K/4500K/6400K

Initial Lumen 6440lm Switch Type Touch Sensor Dimmable YES Location Damp



2″

33824-017


RECTANGULAR BACK-LIT LED MIRROR

Wattage 70W CRI 90+

CCT 3000K/4500K/6400K

Initial Lumen 8170lm
Switch Type Touch Sensor
Dimmable YES
Location Damp









35885-016*

ROUND EDGE-LIT LED MIRROR


27W Wattage 90+ 3000K/4200K/6400K CRI CCT

Initial Lumen 2040lm Switch Type Dimmable Touch Sensor


YES Location Damp

* Real Leather Strap









28"


33827-018

LARGE RECTANGULAR EDGE-LIT LED MIRROR

Wattage 45W CRI 90+

CCT 3000K/4500K/6400K

Initial Lumen 5270lm Switch Type Touch Sensor Dimmable YES Location Damp




33825-014

ROUND EDGE-LIT LED MIRROR

Wattage 29W CRI 90+

CCT 3000K/4500K/6400K Initial Lumen 3400lm

Switch Type Touch Sensor Dimmable YES Location Damp



33828-015

SMALL RECTANGULAR EDGE-LIT LED MIRROR

 Wattage
 35W


 CRI
 90+

 CCT
 3000K/4500K/6400K

 Initial Lumen
 4100lm

 Switch Type
 Touch Sensor

Dimmable YES Location Damp



25.5"

33826-011

OVAL EDGE-LIT LED MIRROR

Wattage 33W CRI 90+

CCT 3000K/4500K/6400K

Initial Lumen 3860lm
Switch Type Touch Sensor
Dimmable YES
Location Damp



32″





2″



2″



31480-017

LARGE RECTANGULAR EDGE-LIT LED MIRROR

Wattage 29W
CRI 80+
CCT 3000K/4000K
Initial Lumen 3300Im
Switch Type Rocker Switch
Location Damp

60"



31479-011

MEDIUM RECTANGULAR EDGE-LIT LED MIRROR

Wattage 18W
CRI 80+
CCT 3000K/4000K
Initial Lumen 2010Im
Switch Type Rocker Switch
Location Damp

24"




31478-014

SMALL RECTANGULAR EDGE-LIT LED MIRROR

Wattage 15W
CRI 80+
CCT 3000K/4000K
Initial Lumen 1690Im
Switch Type Rocker Switch
Location Damp









Ø30"

31481-018


ROUND EDGE-LIT LED MIRROR

Wattage 31W CRI 80+

CCT 3000K/4500K/6400K

Initial Lumen 3600lm Switch Type Touch Sensor Dimmable YES

Location Damp



31483-012

OVAL EDGE-LIT LED MIRROR

Wattage 31W CRI 80+

CCT 3000K/4500K/6400K

25"

Initial Lumen 3600lm Switch Type Touch Sensor Dimmable YES

Dimmable YES
Location Damp



32"

31482-015

SQUARE EDGE-LIT LED MIRROR

Wattage 36W CRI 80+

CCT 3000K/4500K/6400K Initial Lumen 4200lm

Initial Lumen 4200lm Switch Type Touch Sensor Dimmable YES Location Damp



28"

31486-019

36"

RECTANGULAR EDGE-LIT LED MIRROR

Wattage 35W CRI 80+

CCT 3000K/4500K/6400K

Initial Lumen 4100lm
Switch Type Touch Sensor
Dimmable YES
Location Damp

2.25″











2″

31487-016* RECTANGULAR EDGE-LIT LED MIRROR

Wattage 53W CRI 80+

CCT 3000K/4500K/6400K

Initial Lumen 6200lm Switch Type Touch Sensor Dimmable YES Location Damp

* Optional vertical and/or horizontal wall mount



21"





29103-010

OVAL EDGE-LIT LED MIRROR

 Wattage
 26W

 CRI
 80+

 CCT
 3000K/4000K

 Initial Lumen
 2050lm

 Switch Type
 Touch Sensor

 Location
 Damp



29104-017

ROUND EDGE-LIT LED MIRROR

Wattage 27W
CRI 80+
CCT 3000K/4000K
Initial Lumen 2160Im
Switch Type Touch Sensor
Location Damp



29105-014

RECTANGULAR EDGE-LIT LED MIRROR

 Wattage
 24W

 CRI
 80+

 CCT
 3000K/4000K

 Initial Lumen
 1680lm

 Switch Type
 Touch Sensor

 Location
 Damp





3.5″

29109-012*

LARGE MAGNIFYING LED MIRROR

Wattage 31W
CRI 80+
CCT 3000K/4000K
Initial Lumen 2310Im
Switch Type Touch Sensor
Location Damp
Inner Ring 5.5" DIA
Magnifier 3x

47.25"



29110-018*

SMALL MAGNIFYING LED MIRROR

22W Wattage CRI +08 CCT 3000K/4000K Initial Lumen 1660lm Switch Type Touch Sensor Location Damp Inner Ring 5.5" DIA Magnifier 3x

* Mirrored Edge

Light Source: Top edge/Bottom edge/Magnifying ring







35.5"







29106-011

OVAL BACK-LIT LED MIRROR

Wattage 40W
CRI 80+
CCT 3000K/4000K
Initial Lumen 2800Im
Switch Type Rocker Switch
Location Damp

70.75"



29107-018

RECTANGULAR BACK-LIT LED MIRROR

 Wattage
 36W

 CRI
 80+

 CCT
 3000K/4000K

 Initial Lumen
 2550lm

 Switch Type
 Rocker Switch

 Location
 Damp

55"



29108-015

RECTANGULAR BACK-LIT LED MIRROR

Wattage	19W
CRI	*************************************
CCT	3000K/4000K
Initial Lumen	1340lm
Switch Type	Rocker Switch
Location	Damp

23.5"





43.5"

1.5″

34000-014*

ADJUSTABLE BACK-LIT LED MIRROR

Wattage 36W CRI CCT

90+ 3000K/4500K/6000K

Initial Lumen 2160lm Switch Type Dimmable Touch Sensor YES Location Damp



*Up to 180° adjustable angle











,09


1.5″

34001-011* ADJUSTABLE BACK-LIT LED MIRROR

Wattage 60W CRI CCT

90+ 3000K/4500K/6000K

Initial Lumen 4320lm Touch Sensor YES Switch Type Dimmable Location Damp









31485-012

DOUBLE DOOR EDGE-LIT MIRRORED CABINET

Wattage 19W
CRI 80+
CCT 3000K/4000K
Initial Lumen 1550Im
Switch Type Rocker Switch
Location Damp



31484-015

SINGLE DOOR EDGE-LIT MIRRORED CABINET

Wattage 12W
CRI 80+
CCT 3000K/4000K
Initial Lumen 1330Im
Switch Type Rocker Switch
Location Damp









□ 2 1/4"

33833-019 BLACK EDGE/GOLD FOIL*

FREE STANDING EDGE-LIT LED MIRROR

65W Wattage CRI 90+

CCT 3000K/4500K/6400K

Initial Lumen 7610lm Switch Type Dimmable Touch Sensor

YES Location Damp

GILDING TECHNIQUE Please refer to page 13

* Optional vertical wall mount







2 1/4"


33834-016 SILVER EDGE/SILVER FOIL*

FREE STANDING EDGE-LIT LED MIRROR

Wattage 65W
CRI 90+
CCT 3000K/4500K/6400K
Initial Lumen 7610Im
Switch Type Touch Sensor
Dimmable YES
Location Damp

GILDING TECHNIQUE Please refer to page 13

* Optional vertical wall mount









2"

31855-013*


FREE STANDING BACK-LIT LED MIRROR

Wattage 55W CRI 80+

CCT 3000K/4500K/6400K

Initial Lumen 6400lm Switch Type Touch Sensor Dimmable YES Location Damp

* Optional vertical wall mount







2"

35884-019

FREE STANDING HOLLYWOOD LED MIRROR


Wattage 14W CRI 90+

CCT 3000K/4200K/6400K Initial Lumen 1320lm

Initial Lumen 1320lm
Switch Type Touch Sensor
Dimmable YES
Location Damp








36170-017 PORTABLE HOLLYWOOD LED MIRROR

Wattage 5W CRI 90+

CCT 3000K/4200K/6400K Initial Lumen 500lm

Initial Lumen 500lm
Switch Type Touch Sensor
Dimmable YES
Location Damp

* USB Cable/Battery Operated 4x AA Batteries (Not Included)



INDEX

29103-010 33 29104-017 33 29105-014 33 29106-011 37 29107-018 37 29108-015 37 29109-012 35 29110-018 35 31478-014 25 31479-011 25 31480-017 25 31481-018 29 31482-015 29 31483-012 29 31485-015 43 31485-012 43 31485-013 49 33823-010 19 33824-017 19 33825-014 23 33825-014 23 33827-018 23 33829-012 17 33830-018 15 33831-015 17 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35885-016 21 36170-017 53 <th>MODEL#</th> <th>PAGE</th>	MODEL#	PAGE
29105-014 33 29106-011 37 29107-018 37 29108-015 37 29109-012 35 29110-018 35 31478-014 25 31480-017 25 31481-018 29 31482-015 29 31483-012 29 31485-015 43 31485-012 43 31485-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33829-012 17 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34001-011 41 35885-016 21	29103-010	
29105-014 33 29106-011 37 29107-018 37 29108-015 37 29109-012 35 29110-018 35 31478-014 25 31480-017 25 31481-018 29 31482-015 29 31483-012 29 31485-015 43 31485-012 43 31485-012 43 31485-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33829-012 17 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34001-011 41 35885-016 21		33
29107-018 37 29108-015 37 29109-012 35 29110-018 35 31478-014 25 31479-011 25 31480-017 25 31481-018 29 31482-015 29 31483-012 29 31485-015 43 31485-012 43 31485-012 43 31485-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34001-011 41 35885-016 21	29105-014	33
29107-018 37 29108-015 37 29109-012 35 29110-018 35 31478-014 25 31479-011 25 31480-017 25 31481-018 29 31482-015 29 31483-012 29 31485-015 43 31485-012 43 31485-012 43 31485-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34001-011 41 35885-016 21	29106-011	37
29108-015 37 29109-012 35 29110-018 35 31478-014 25 31479-011 25 31480-017 25 31481-018 29 31482-015 29 31483-012 29 31485-015 43 31485-012 43 31485-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33829-012 17 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34001-011 41 35885-016 21	29107-018	37
29110-018 35 31478-014 25 31479-011 25 31480-017 25 31481-018 29 31482-015 29 31483-012 29 31485-015 43 31485-012 43 31485-013 49 3823-010 19 3824-017 19 33825-014 23 33825-015 23 33827-018 23 33829-012 17 33830-018 15 33831-015 17 33833-019 45 33834-016 47 34001-011 41 35885-016 21	29108-015	37
31478-014 25 31479-011 25 31480-017 25 31481-018 29 31482-015 29 31483-012 29 31484-015 43 31485-012 43 31486-019 29 31487-016 31 31855-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35885-016 21	29109-012	35
31478-014 25 31479-011 25 31480-017 25 31481-018 29 31482-015 29 31483-012 29 31484-015 43 31485-012 43 31486-019 29 31487-016 31 31855-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35885-016 21	29110-018	35
31479-011 25 31480-017 25 31481-018 29 31482-015 29 31483-012 29 31484-015 43 31485-012 43 31486-019 29 31487-016 31 31855-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35885-016 21	31478-014	25
31484-015 43 31485-012 43 31486-019 29 31487-016 31 31855-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33828-015 23 33829-012 17 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21		25
31484-015 43 31485-012 43 31486-019 29 31487-016 31 31855-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33828-015 23 33829-012 17 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	31480-017	25
31484-015 43 31485-012 43 31486-019 29 31487-016 31 31855-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33828-015 23 33829-012 17 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	31481-018	29
31484-015 43 31485-012 43 31486-019 29 31487-016 31 31855-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33828-015 23 33829-012 17 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	31482-015	29
31484-015 43 31485-012 43 31486-019 29 31487-016 31 31855-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33828-015 23 33829-012 17 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	31483-012	29
31486-019 29 31487-016 31 31855-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33828-015 23 33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	31484-015	43
31487-016 31 31855-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33828-015 23 33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21		
31855-013 49 33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33828-015 23 33829-012 17 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	31486-019	
33823-010 19 33824-017 19 33825-014 23 33826-011 23 33827-018 23 33828-015 23 33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	31487-016	
33824-017 19 33825-014 23 33826-011 23 33827-018 23 33828-015 23 33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	31855-013	
33825-014 23 33826-011 23 33827-018 23 33828-015 23 33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	33823-010	19
33826-011 23 33827-018 23 33828-015 23 33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	33824-017	
33827-018 23 33828-015 23 33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21		
33828-015 23 33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21		23
33828-015 23 33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	33827-018	23
33829-012 17 33830-018 15 33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	33828-015	23
33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	33829-012	
33831-015 17 33832-012 15 33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	33830-018	15
33833-019 45 33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21	33831-015	17_
33834-016 47 34000-014 39 34001-011 41 35884-019 51 35885-016 21		
34000-014 39 34001-011 41 35884-019 51 35885-016 21	33833-019	45_
34001-011 41 35884-019 51 35885-016 21	33834-016	47_
35884-019 51 35885-016 21	34000-014	39
35885-016 21	34001-011	
	35885-016	21_
	36170-017	53_





Eurofase Inc. 33 West Beaver Creek Road Richmond Hill, Ontario Canada L4B 1L8

tel 905.695.2055 toll free 1.800.660.5391 toll free 1.800.660.5390

Dallas Trade Mart Eurofase Showroom, Suite #4002

www.eurofase.com











Printed in Canada © 2019 Eurofase Inc. All rights reserved.

Product Specifications and Approvals

Eurofase Inc. reserves the right to make alterations to the construction and design of products shown in this catalog in order to meet the laws or regulations of any authorized governing organization. The use of products shown in this catalog must comply with local building codes.